

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problems Mailbox.**

(19) World Intellectual Property Organization  
International Bureau




(43) International Publication Date  
22 November 2001 (22.11.2001)

PCT

(10) International Publication Number  
WO 01/88876 A1

- (51) International Patent Classification<sup>7</sup>: G08G 1/0962
- (21) International Application Number: PCT/NZ01/00095
- (22) International Filing Date: 21 May 2001 (21.05.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
504654 19 May 2000 (19.05.2000) NZ
- (71) Applicant (for all designated States except US): KRUSE PRODUCTIONS LIMITED (NZ/NZ); 12A Budgen Street, Mt Roskill, Auckland (NZ).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): KRUSE, Jonathan (NZ/NZ); 12A Budgen Street, Mt Roskill, Auckland (NZ).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:  
— with international search report
- (74) Agents: CALHOUN, Douglas, C et al.; A J Park, Huddart Parker Building 6th Floor, Post Office Square, P.O. Box 949, Wellington 6015 (NZ).
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: VEHICLE COMMENTARY METHOD AND SYSTEM



(57) Abstract: The invention relates to a method for providing commentary to one or more passengers in a moving vehicle including periodically or continuously determining the present location of the vehicle as the vehicle moves through a geographic area, assessing whether items of commentary related to different parts of the geographic area are available as the vehicle passes through different parts of the geographic area from a number of stored commentary items related to different parts of the geographic area and playing a commentary to the passenger(s) consisting of items from the stored items of commentary.

## VEHICLE COMMENTARY METHOD AND SYSTEM

### FIELD OF INVENTION

- 5 The present invention relates to a method and apparatus for providing commentaries to passengers travelling in a vehicle based on the location of the vehicle.

### BACKGROUND

- 10 Vehicle location and route guiding systems have developed along side the development of global positioning systems (GPS). These systems use the output from at least three overhead satellites to determine the location of a receiver on the surface of the earth. GPS systems have found wide ranging applications from military vehicle positioning to tracking company trucks and taxi dispatch systems. Portable units suitable for trampers and cyclists  
15 have also been developed.

- Passengers on organised tours in tour busses are generally provided with a commentary on places of interest by a tour guide or the bus driver. These commentaries generally coincide with the bus passing a place of interest. Because these commentaries are given to a group  
20 of people the individual preferences of members of the group cannot be taken into account.

### SUMMARY OF INVENTION

- In broad terms in one aspect the invention comprises a method for providing commentary  
25 to one or more passengers in a moving vehicle including the steps of:

periodically or continuously determining the present location of the vehicle as the vehicle moves through or in a geographic area,

- 30 assessing whether items of commentary related to different parts of the geographic area are available as the vehicle passes through different parts of the geographic area, from

a number of stored items of commentary related to different parts of the geographic area,  
and

5 playing a commentary to the passenger(s) consisting of a series of selected items  
from said stored items of commentary.

In broad terms in another aspect the invention comprises a system for providing  
commentary to one or more passengers in a moving vehicle including:

10 means arranged to periodically or continuously determine the present location of the  
vehicle as the vehicle moves through or in a geographic area,

means arranged to assess whether items of commentary related to different parts of  
the geographic area are available as the vehicle passes through different parts of the  
15 geographic area, from a number of stored items of commentary related to different parts of  
the geographic area, and

means arranged to play a commentary to the passenger(s) consisting of a series of  
selected items from said stored items of commentary.

20

Preferably the system is also arranged to play items of information or music to the  
passenger(s) when there is no item in said stored items which relates to the part of a  
geographic area through which the vehicle is moving or when a stored item relating to the  
part of a geographic area through which the vehicle is moving has previously been played  
25 to the passenger or passenger(s).

In a further aspect the invention comprises a system for providing commentary to one or  
more passengers in a moving automobile, bus, motorhome, or air or marine craft, including  
means arranged to monitor the location of the vehicle as it travels through or in a  
30 geographic area, and means arranged to play a pre-recorded commentary related to the  
current location of the vehicle to the passenger(s).

In the system and method of the invention the commentary includes discrete items of  
commentary information, the playing of each of which is separately initiated when the

means arranged to monitor the location of the vehicle indicates that the vehicle is in a part of the geographic area to which an individual item of commentary information relates.

5 The commentary may include audio including voice, sound effects and music, visual presentation including still and moving images, real and/or graphical images or a synchronised combination of audio and visual commentaries.

10 An audio commentary may be provided through speakers in the vehicle so that all passengers hear the same commentary. Alternatively passengers may be provided with individual speakers or headsets to allow the passengers to control the commentary delivery including the choice of listening to the commentary or not.

15 Preferably the means to determine the location of the vehicle is provided by global positioning system equipment.

## BRIEF DESCRIPTION OF THE DRAWINGS

20 A preferred form system and method of the invention will be further described with reference to the accompanying drawings by way of example only and without intending to be limiting, wherein:

Figure 1 is a block diagram showing the major components of a commentary system of the invention,

25 Figure 2 is a block diagram showing the major components of a commentary system of the invention especially adapted for rental cars and vans,

30 Figure 3 is a block diagram showing the major components of a commentary system of the invention especially adapted for tour coaches,

Figure 4 is a block diagram showing the major component of a commentary system of the invention especially adapted for tour coaches with individual headsets, and

Figure 5 is a block diagram showing the major component of a commentary system of the invention especially adapted for tour coaches with individual headsets with a common video display.

#### DETAILED DESCRIPTION OF PREFERRED FORMS

Figure 1 shows the main components of the on-board commentary system. The components include vehicle location information receiving means, commentary point identification means, location information knowledge base, commentary storage, commentary reproduction and distribution means. Some of the components such as the commentary point identification and location information knowledge base may be combined.

Location fixing means 1, such as a GPS receiver, reports the current location of the vehicle. The location of the vehicle is updated at intervals by data received by location fixing means 1. When the current location of the vehicle is determined by location fixing means 1 this information is passed to commentary point identification means 2. Commentary point identification means 2 queries local information knowledge base 6 to determine if there is a commentary for the current location. Local information knowledge base 6 contains information on which points on the current route are associated with commentaries. If commentary point identification means 2 identifies that there is a commentary associated with the current location it sends a signal to control function 3. Upon receipt of a signal from commentary point identification means 2 control function 3 retrieves the relevant commentary from commentary storage means 7. Control function 3 passes the retrieved commentary to commentary reproduction means 4. Commentary reproduction means 4 applies any language selection required to the commentary and combines any commentary material required from external media inputs 11 and then passes the commentary to commentary distribution means 5 for distribution to passengers.

Commentary point identification means, location information knowledge base, commentary storage means, the central control function, performance and journey logging and commentary reproduction means may be part of a software system stored in a  
5 computing device such as a microprocessor, microcontroller or the like.

The mechanism by which the commentary system determines when to play a commentary may be an adaptive process based on combinations of inputs, internal and external to the system. The triggering system may include state machines that can be used to react to the  
10 past history of the passenger in the vehicle. For example to not play the same commentary twice if passing the same location again. These state machines can be defined as part of the location information knowledge base 6. Other inputs to determine the commentary actions performed include language selection, locations, optionally including altitude, route history, direction of travel, time of day, day of week, month, year, season, daylight hours,  
15 state machines of sequences or other locations, time since other events, the finish of other commentaries, and personal preference of the passengers.

In vehicles where passengers spend a substantial portion of their time seated, for example coach travel or helicopters there may be a shared or individual distribution system. Shared  
20 public address speakers and visual monitors can provide a shared audio and/or visual experience. An alternative distribution system is to provide individual headsets which may be networked or individually wired. Individual headsets may be combined with options for individual control of preferences for individual commentary channels. In some systems the individual distribution and settings may be grouped into categories providing limited  
25 customisation and fewer channels than passengers.

The commentaries available may include audio including voice, sound effects and music, visual including still and moving images, real and/or graphical images or a synchronised combination of audio and visual commentaries.

30

An audio commentary may be provided through speakers in the vehicle so that all passengers hear the same commentary. Alternatively passengers may be provided with individual speakers or headsets to allow the passengers the choice of listening to the commentary or not. If individual headsets are provided then preferably settings are provided to allow a passenger to input the history of travel, preferred language, route taken and type of commentary preferred.

The commentaries available may include historical information, historical perspectives, myths and legends, re-enactments of important events, recorded historic news, attraction information, guidance information, route information and local marketing. Preferably a passenger can choose a commentary or group of commentaries from those available.

The operator input and display 10 can be as little as a single switch in simple forms of the invention. In more complex forms, for example in motor home use, the unit may be a full interactive display including route finding and prompting and/or video/graphics.

Commentary reproduction means 4 may include decompression of compressed audio or video commentaries as required. The commentary distribution means 5 delivers events to the passengers. This may include shared displays, individual wired, networked or wireless personal displays, for example FM headsets.

Update means 9 optionally allows wired or wireless communication with the mobile unit for update of databases, software, commentaries and retrieval of log information. If update means 9 is arranged to received wireless communication form a remote device commentaries etc may be updated for the vehicle at any time. Allowing for remote wireless updates means all vehicles in a fleet may be their commentary system updated quickly without the need to be at a certain location, for example a bus station, for the update to occur. Alternatively update means 9 may be a like to a connector for connection to an external update means such as a computer to provide the updates. Optional vehicle data transmission block 13 communicates with remote receivers. This provides



information, for example estimated time of arrival information based on information held in the mobile unit.

Commentary storage on the mobile unit may be in several forms or in combination.

- 5 Internal storage may be provided on hard drive, RAM, analogue or digital storage, removable media, eg CD, DVD, minidisk. External storage may be combined to use external media sources, such as existing video players in synchronism with presentation of internal commentary. The commentary information itself is stored in a format appropriate to the media represented, for example analogue or digitally encoding sound, textual and  
10 data representation of visual information, MPEG or other compression techniques for commentary material may be employed.

- Embodiments for commuter vehicles can additionally include more traditional station announcements combined with for example direction of travel information. Optionally the  
15 mobile unit can use current location information and derived trends to statistically or adaptively predict time of arrival information. This information can be optionally displayed locally.

- Location and derived information such as estimated time of arrival from the mobile unit  
20 can be optionally transmitted to remote locations, for example to provide estimated time of arrival information to train stations.

- The mobile unit optionally monitors its own performance using performance and journey logging means 8. Logs of this performance may be retrieved from time to time and used to  
25 improve the commentary system. These logs may optionally include route information including, times, locations, preferences, starts, stops statistics on travel.

- Retrieval of this information may be by direct connection to the mobile unit or by wireless means, for example through update means 9.

30

The mobile unit is optionally supported by the non-mobile components of the system. Such components provide means of initialising the mobile unit with commentary databases, including routes, location information and media for commentaries. Components provide means for retrieval of the log information, interpretation of this  
5 information, transfer to external systems. For example information on the effectiveness of included or external marketing may be extracted and transferred to other general purpose systems.

Interpretation of logs may include diagnostic interpretation and testing.  
10

Vehicles categories in which the invention can be fitted include, but are not limited to, cars, motor homes, busses, coaches, planes, helicopters, boats, trains and trams.

Figure 2 shows an embodiment of the invention arranged for rental vehicles with existing  
15 stereo systems. Distribution of the commentaries depends on the embodiment and application. An embodiment for rental vehicles involves provision of stereo audio through the pre-existing sound system, either by direct connection, or indirectly for example by modulation onto a radio channel available to the vehicle's radio. GPS receiver 15 provides location information to commentary system mobile unit 16. This unit performs the same  
20 functions of determining whether the location has an associated commentary and providing the commentary information to vehicle stereo system 17 as the commentary point identification means, location information knowledge base, control function, commentary storage and commentary reproduction means of figure 1.

25 Figures 3, 4 and 5 show embodiments of the invention arranged for use in tour coaches. These figures all show GPS receivers coupled to commentary system mobile units of the type described with reference to figure 1 and multi-channel commentary distribution systems. The channel distribution systems may be wired or wireless allowing passengers' individual headsets and channel selection. The channel selection may allow each  
30 passenger to select the language in which they want to listen to the commentary or other personalised preference. The triggering of commentary events may be based on any

combination of current location, direction of travel, previous locations and route history, derived trends, time duration, time of day, day of week, day of month, month, year, season, daylight hours, proximity to a location and preference settings.

- 5 With individual headsets each passenger may adjust the volume on their headset. Figure 5 shows the system with a common visual display unit. The display unit may provide visual display with synchronised or simultaneous presentation of any combination of speech, audio, sound effects, music, video still or moving graphical or photographically derived images. Alternatively each passenger may be provided with a visual display unit. In a  
10 coach situation a central control console may be provided which allows customisation optionally including route planning and/or prompting.

- Such systems may also include data logging means to provide information for updating commentaries for example. Transmission of estimated times of arrival may also occur  
15 such as at coach stops or train stations.

- A preferred implementation unit of the invention has a single stereo audio output with selectable language capability. Location fixing is accomplished with a connection to a GPS device. The control function is implemented as software running on general purpose  
20 computer hardware under a real-time operating system. Commentary storage is on computer hard drive in digital compressed format. Performance and activity logging data is stored directly to proprietary format data files on the computer hard drive. Update information, service changes and log retrieval are achieved by Ethernet connection. Operator interfacing on the mobile unit is limited to language selection and tour restart  
25 button.

The foregoing describes the invention including a preferred form thereof. Alterations and modifications as will be obvious to those skilled in the art are intended to be incorporated within the scope hereof as defined in the accompanying claims.

## CLAIMS

1. A method for providing commentary to one or more passengers in a moving vehicle including the steps of:
- 5                   periodically or continuously determining the present location of the vehicle as the vehicle moves through or in a geographic area,
- assessing whether items of commentary related to different parts of the geographic
- 10   area are available as the vehicle passes through different parts of the geographic area, from a number of stored items of commentary related to different parts of the geographic area, and
- playing a commentary to the passenger(s) consisting of a series of selected items
- 15   from said stored items of commentary.
2. A method for providing commentary to one or more passengers in a moving vehicle according to claim 1 including also playing items of information or music to the passenger(s) when there is no item in said stored items which relates to the part of a
- 20   geographic area through which the vehicle is moving or when a stored item relating to the part of a geographic area through which the vehicle is moving has previously been played to the passenger or passenger(s).
3. A method for providing commentary to passengers in a vehicle according to either of
- 25   claims 1 or 2 further including the step of determining whether a selected item of commentary has already been played to the passenger(s) before playing the item.
4. A method for providing commentary to passengers in a vehicle according to any one of claims 1 to 3 further including the step of determining the present location of the vehicle
- 30   via a GPS receiver on the vehicle.
5. A method for providing commentary to passengers in a vehicle according to any one of claims 1 to 4 further including allowing a passenger or passengers to select a language in which to receive the commentary.

35

6. A system for providing commentary to one or more passengers in a moving vehicle including:

5 means arranged to periodically or continuously determine the present location of the vehicle as the vehicle moves through or in a geographic area,

10 means arranged to assess whether items of commentary related to different parts of the geographic area are available as the vehicle passes through different parts of the geographic area, from a number of stored items of commentary related to different parts of the geographic area, and

means arranged to play a commentary to the passenger(s) consisting of a series of selected items from said stored items of commentary.

15 7. A system for providing commentary to one or more passengers in a moving vehicle according to claim 7 also arranged to play items of information or music to the passenger(s) when there is no item in said stored items which relates to the part of a geographic area through which the vehicle is moving or when a stored item relating to the part of a geographic area through which the vehicle is moving has previously been played  
20 to the passenger or passenger(s).

8. A system for providing commentary to passengers in a vehicle according to claim 6 or claim 7 arranged to play audio commentaries.

25 9. A system for providing commentary to passengers in a vehicle according to any of claims 6 to 8 arranged to play video commentaries.

30 10. A system for providing commentary to passengers in a vehicle according to any of claims 6 to 9 wherein the system is arranged to play commentaries through a central speaker or speaker and video display system to a number of passengers.

11. A system for providing commentary to passengers in a vehicle according to any of claims 6 to 10 wherein the system is arranged to play commentaries through one or more headphone or headphone and video display devices to one or more passengers individually.

35

12. A system for providing commentary to passengers in a vehicle according to any one of claims 6 to 11 wherein the system is arranged to allow passengers a selection of languages in which to hear the commentaries.

5 13. A system for providing commentary to passengers in a vehicle according to claim 11 or claim 12 wherein the system is arranged to be able to simultaneously play the same commentary in different languages to different devices.

10 14. A system for providing commentary to passengers in a vehicle according to any one of claims 6 to 13 further arranged to receive information from a remote transmitter.

15 15. A system for providing commentary to passengers in a vehicle according to any one of claims 6 to 14 further arranged to store vehicle data.

16. A system for providing commentary to one or more passengers in a moving automobile, bus, motorhome, or air or marine craft (herein: vehicle), including means arranged to monitor the location of the vehicle as it travels through or in a geographic area, and means arranged to play a pre-recorded commentary related to the current location of the vehicle to the passenger(s).

20

17. A system for providing commentary to passengers wherein the commentary includes discrete items of commentary information, the playing of each of which is separately initiated when the means arranged to monitor the location of the vehicle indicates that the vehicle is in a part of the geographic area to which an individual item of commentary information relates.

25

18. A system for providing commentary to passengers according to either of claims 16 or 17 wherein the means arranged to monitor the location of the vehicle includes a GPS receiver on board the vehicle.

30

19. A system for providing commentary to passengers in a vehicle according to any one of claims 16 to 18 wherein the commentary is an audio or an audio and video commentary.

1/3




Figure 1.

2/3




Figure 2: Rental car example




Figure 3: Tour coach example




Figure 4: Wireless example






Figure 5: Shared video example

## INTERNATIONAL SEARCH REPORT

 International application No.  
**PCT/NZ01/00095**

<b>A. CLASSIFICATION OF SUBJECT MATTER</b>		
Int. Cl. <sup>7</sup> : G08G 001/0962		
According to International Patent Classification (IPC) or to both national classification and IPC		
<b>B. FIELDS SEARCHED</b>		
Minimum documentation searched (classification system followed by classification symbols) G08G 001/0962, G01C 021/00, G08G 001/123, H04Q 009/02		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) WPAT, USPTO		
<b>C. DOCUMENTS CONSIDERED TO BE RELEVANT</b>		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X Y	DE 19731815 A1 (DROEGER DETLEF) 2 April 1999	1-13, 16-19 14, 15
P,X P,Y	US 6122520 A (WANT et al) 19 September 2000	1-4, 6-11, 14-19 5, 12, 13
X Y	US 5767795 A (SCHAPHORST) 16 June 1998	1-3, 6-11, 15-19 4, 5, 12, 13
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C <input checked="" type="checkbox"/> See patent family annex		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier application or patent but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search 27 July 2001		Date of mailing of the international search report 7 August 2001
Name and mailing address of the ISA/AU AUSTRALIAN PATENT OFFICE PO BOX 200, WODBN ACT 2606, AUSTRALIA E-mail address: pct@ipaustalia.gov.au Facsimile No. (02) 6285 3929		Authorized officer R.W.J. FINZI Telephone No : (02) 6283 2213

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/NZ01/00095

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4163123 A (BRODSKY et al) 31 July 1979	1, 6, 8, 16, 17, 18
X	US 5717392 A (ELDRIDGE) 10 February 1998	1-4, 6-11, 14-19
X	WO 99/60548 A1 (GRAUFEN et al) 25 November 1999	1-4, 6-11, 14, 16-19
X	WO 99/55133 A2 (BRANDS ANS) 4 November 1999	1, 5, 6, 8, 9, 12-14, 16, 17, 19
X	GB 2309523 A (CREATIVITY INNOVATION LOGIC LTD) 30 July 1997	1, 3, 6, 8-10, 16-17, 19
A	WO 93/20546 A1(PARIENTI et al) 14 October 1993	
A	EP 0788248 A2 (PERSONAL MARKETING SA) 6 June 1997	
	Notes for Y combinations: DE 19731815 and US 5717392 or US 6122520 US 5767795 and DE 19731815 or US 5717392 or US 6122520	

**INTERNATIONAL SEARCH REPORT**  
Information on patent family members

International application No.  
**PCT/NZ01/00095**

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report			Patent Family Member			
DE	19731815	NONE				
US	6122520	JP	11328077			
US	5767795	NONE				
US	4163123	NONE				
US	5717392	NONE				
WO	9960548	AU	38459/99			
WO	9955133	AU	45338/99	NO	981906	
GB	2309523	NONE				
WO	9320546	AU	39560/93	EP	692130	FR 2691276
EP	788248	US	5877698	AU	12465/97	CA 2196464
						END OF ANNEX